








ROCA-65-BALL-D20-30K

LED Chip: SMD
Size: $\Phi 200$
Input: DC24V
Wattage: 12W
Beam Angle: 360°
Lamp Material: Aluminum + Glass
CCT: 2700-6000K
RA: 80/90



360°



Black



Terra Red



White



Fixed



Certificate
mark



IP rating




Different light distribu-
tions



Excellent
thermal
management



Excellent visual
comfort



ROCA-65-BALL-D30-30K

LED Chip: SMD
Size: $\Phi 300$
Input: DC24V
Wattage: 20W
Beam Angle: 360°
Lamp Material: Aluminum + Glass
CCT: 2700-6000K
RA: 80/90



360°



Black



Terra Red



White



Fixed



Certificate
mark



IP rating





Different light distribu-
tions



Excellent
thermal
management



Excellent visual
comfort



ROCA-65-FOCUS-30K

LED Chip: COB
Size: $\Phi 100 \times H123$ mm
Input: DC24V
Wattage: 15W
Beam Angle: 12°/24°/55°
Lamp Material: Aluminum + PC
CCT: 2700-6000K
RA: 80/90



12°



24°



55°



Black



Terra Red



White



Adjustable



Certificate
mark



IP rating





Different light distribu-
tions



Excellent
thermal
management



Excellent visual
comfort



ROCA-65-Downlight-30K

LED Chip: SMD
Size: $\Phi 200 \times H130$ mm
Input: DC24V
Wattage: 15W
Beam Angle: 180°
Lamp Material: Aluminum+PC
CCT: 2700-6000K
RA: 80/90



180°



Black



Terra Red



White



Fixed



Certificate
mark



IP rating





Different light distribu-
tions



Excellent
thermal
management



Excellent visual
comfort



ROCA-65-CONE-30K

LED Chip: SMD
Size: $\Phi 600 \times H161$ mm
Input: DC24V
Wattage: 20W
Beam Angle: 180°
Lamp Material: Aluminum + Glass
CCT: 2700-6000K
RA: 80/90



180°



Black



Terra Red



White



Fixed



Certificate
mark



IP rating




Different light distribu-
tions



Excellent
thermal
management



Excellent visual
comfort



ROCA-65-LINE-30K

LED Chip: SMD
Size: 1000*34*H41mm
Input: DC24V
Wattage: 30W
Beam Angle: 180°
Lamp Material: Aluminum + PC
CCT: 2700-6000K
RA: 80/90



180°



Black



Terra Red



White



Fixed



Certificate
mark



IP rating



Different light distribu-
tions



Excellent
thermal
management








Excellent visual
comfort



ROCA-65-10MT

Size: L10M*28*2mm
Input: DC24V
Max 30 metres available
perelectrical connection,
belt length personalised
foreach composition.

- Black
- Terra Red
- Green
- White

 ROCA-65-BK-DRI-BOX Size: Φ250*H55mm Black Terra Red White	 ROCA-65-BK-REMOTE Size: Φ84*H40mm Black Terra Red White	 ROCA-65-BK-POWER-FEED Size: Φ110*H42mm Black Terra Red White
 ROCA-65-BK-ANCHOR Size: Φ55*H37mm Black Terra Red White	 ROCA-65-BK-BELT-STAND Size: 35*10*10mm Black Terra Red White	 ROCA-65-BK-REMOTE01 Size: 50*36*H16mm Black
 ROCA-65-BK-PENDANT-ENDCAP Size: 31*20*H13mm Black	 ROCA-65-BK-DOUBLE-ENDCAP Size: 31*20*H15mm Black	 ROCA-65-BK-ENDCAP Size: 31*20*H8mm Black