

Roca73 series



Roca73 series

Installation
method


- HDT • Embedded sealing plate
- HST • Open-frame
- HWT • Embedded plastering
- HRT • Round surface mounted



10mm
internal width


Roca73 series

Ultra-narrow and wide inside
narrow for individuality

A close-up photograph of a person's hand holding a wide, black fabric strip against a light grey background. The hand is positioned on the right side of the frame, with the thumb and index finger gripping the edge of the fabric. The fabric strip runs diagonally from the bottom left towards the top right. In the center of the fabric, the text '10mm' is printed in a large, white, sans-serif font. Two thin, black arrows point towards this text: one from the upper left and another from the lower right, indicating the measurement of the fabric's internal width.


10mm

TRACK




COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-73-1MT	DC 48V	Aluminum	L1000xW50xH40mm
ROCA-73-2MT	DC 48V	Aluminum	L2000xW50xH40mm
ROCA-HDT-3M	DC 48V	Aluminum	L3000xW50xH40mm




COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-HST-1M	DC 48V	Aluminum	L1000xW17xH26mm
ROCA-HST-2M	DC 48V	Aluminum	L2000xW17xH26mm
ROCA-HST-3M	DC 48V	Aluminum	L3000xW17xH26mm



COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-HWT-1M	DC 48V	Aluminum	L1000xW50xH40mm
ROCA-HWT-2M	DC 48V	Aluminum	L2000xW50xH40mm
ROCA-HWT-3M	DC 48V	Aluminum	L3000xW50xH40mm




COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-HRT-1M	DC 48V	Aluminum	L1000xØ29mm
ROCA-HRT-2M	DC 48V	Aluminum	L2000xØ29mm
ROCA-HRT-3M	DC 48V	Aluminum	L3000xØ29mm


Roca73 series

TRACK



COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-HRS-1M	DC 48V	Aluminum	L1000xW25xH45mm
ROCA-HRS-2M	DC 48V	Aluminum	L2000xW25xH45mm
ROCA-HRS-3M	DC 48V	Aluminum	L3000xW25xH45mm



COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-HDT-600-C90	DC 48V	Aluminum	600xW50xH41mm
ROCA-HDT-900-C90	DC 48V	Aluminum	900xW50xH41mm
ROCA-HDT-1200-C90	DC 48V	Aluminum	1200xW50xH41mm



COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-H10HT-1M	DC 48V	Aluminum	1000xW17xH75mm
ROCA-H10HT-2M	DC 48V	Aluminum	2000xW17xH75mm
ROCA-H10HT-3M	DC 48V	Aluminum	3000xW17xH75mm



COLORS
BK

MODEL NO.	Input	Material	Size(mm)
ROCA-HST-600-C90	DC 48V	Aluminum	Φ600 x 400mm
ROCA-HST-900-C90	DC 48V	Aluminum	Φ900 x 550mm
ROCA-HST-1200-C90	DC 48V	Aluminum	Φ1200 x 400mm



ROCA-L

ACCESSORY



HST-S01-W




HST-S02-W



HST-S03-W



HST-S04-W




HST-J02




HST-L02




HST-END




HST-S01-P



HST-S02-P



HST-S03-P



HST-S04-P



HST-E00




HST-E01




HST-E02




HST-E00-P



H10HT-END




H10HT-C01



H10HT-P01



HST-C01



HST-P01

HDT




ROCA-73-VCOR-BK



ROCA-73-HCORNER-BK



ROCA-73-ENDCAP-BK



HDT-C01


HWT



HRS-END



HWT-J02



HWT-L02

HRT



HRS-J01




HRS-L01



HRT-L02



HRT-J02



HRT-L02







HRT-END

Roca73 series

Multiple linking methods

Flexible and versatile for diverse scenarios



Roca73 series



**Magnetic + Clip
Dual Security Insurance**


Magnetic back + safety clips,
Stable without falling

Roca73 series




Roca73 series


ROCA-73-ADJ-DOT-5W-BK

		      	LED brand: OSRAM	Size: 145 x 10.5 x 65mm	Beam angle: 30°
			CCT: 2700K/3000K/4000K/5000K	Power: 5W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Folding Grille Lamp
			Voltage & Current: 48V		


ROCA-73-ADJ-DOT-10W-BK

		      	LED brand: OSRAM	Size: 226 x 10.5 x 65mm	Beam angle: 30°
			CCT: 2700K/3000K/4000K/5000K	Power: 10W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Folding Grille Lamp
			Voltage & Current: 48V		

ROCA-73-ADJ-OPAL-8W-BK

		      	LED brand: SANAN	Size: 226 x 10.5 x 65mm	Beam angle: 100°
			CCT: 2700K/3000K/4000K/5000K	Power: 8W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Folding Floodlights
			Voltage & Current: 48V		

ROCA-73-ADJ-OPAL-16 W-BK

		      	LED brand: SANAN	Size: 330 x 10.5 x 65mm	Beam angle: 100°
			CCT: 2700K/3000K/4000K/5000K	Power: 16W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Folding Floodlights
			Voltage & Current: 48V		


COLORS




Black

Roca73 series


ROCA-73-DOT-5W-BK

		    	LED brand: OSRAM	Size: 145 x 10.5 x 38mm	Beam angle: 30°
			CCT: 2700K/3000K/4000K/5000K	Power: 5W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Grille Lamp
			Voltage & Current: 48V		


ROCA-73-DOT-10W-BK

		    	LED brand: OSRAM	Size: 226 x 10.5 x 38mm	Beam angle: 30°
			CCT: 2700K/3000K/4000K/5000K	Power: 10W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Grille Lamp
			Voltage & Current: 48V		

ROCA-73-OPAL-8W-BK

		    	LED brand: SANAN	Size: 330 x 10.5 x 38mm	Beam angle: 100°
			CCT: 2700K/3000K/4000K/5000K	Power: 8W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Floodlights
			Voltage & Current: 48V		

ROCA-73-OPAL-12W-BK

		    	LED brand: SANAN	Size: 480 x 10.5 x 65mm	Beam angle: 100°
			CCT: 2700K/3000K/4000K/5000K	Power: 12W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Floodlights
			Voltage & Current: 48V		

COLORS




Black




Roca73 series


ROCA-73-OPAL-16W-BK

		 	LED brand: SANAN	Size: 630 x 10.5 x 38mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 16W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Floodlights
			Voltage & Current: 48V		


ROCA-73-SPOT-5W-BK

		 	LED brand: OSRAM	Size: Ø35 x 80mm	Beam angle: 15°/24°/36°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 5W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Spotlights
		 	Voltage & Current: 36V 120mA		

ROCA-73-SPOT-10W-BK

		 	LED brand: OSRAM	Size: Ø45 x 100mm	Beam angle: 15°/24°/36°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 10W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Spotlights
		 	Voltage & Current: 36V 250mA		

ROCA-73-SPOT-18W-BK


		 	LED brand: OSRAM	Size: Ø60 x 120mm	Beam angle: 15°/24°/36°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 18W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Spotlights
		 	Voltage & Current: 36V 400mA		

COLORS



Black

Roca73 series


ROCA-73-REFLECTOR-12W-BK

		 	LED brand: SANAN	Size: Ø113 x 35mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 12W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Floodlights
		 	Voltage & Current: 48V	 Black	


ROCA-73-REFLECTOR-18W-BK

		 	LED brand: SANAN	Size: Ø138 x 35mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 18W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Floodlights
		 	Voltage & Current: 48V	 Black	

ROCA4150


		 	LED brand: OSRAM	Size: Ø50 x 73mm	Beam angle: 15°/24°/36°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 6W	CRI: Ra>90
		 	Input(V): DC48V	Material: Aluminium	Description: Spotlights
		 	Voltage & Current: 36V 150mA	 Black	

ROCA1001


		 	LED brand: SANAN	Size: Ø60 x 102mm	Beam angle: 200°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 3W	CRI: Ra>90
		 	Input(V): DC48V	Material: Glass	Description: Floodlights
		 	Voltage & Current: 48V	 White	

Roca73 series


ROCA1002R

		 LED brand: SANAN	 Size: Ø80 x 122mm	 Beam angle: 200°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 3W	 CRI: Ra>90
		 Input(V): DC48V	 Material: Glass	 Description: Floodlights
		 Voltage & Current: 48V		


ROCA1003R

		 LED brand: SANAN	 Size: Ø100 x 142mm	 Beam angle: 200°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 5W	 CRI: Ra>90
		 Input(V): DC48V	 Material: Glass	 Description: Floodlights
		 Voltage & Current: 48V		

ROCA1004R

		 LED brand: SANAN	 Size: Ø120 x 162mm	 Beam angle: 200°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 5W	 CRI: Ra>90
		 Input(V): DC48V	 Material: Glass	 Description: Floodlights
		 Voltage & Current: 48V		

ROCA1002NR

		 LightSource: LED	 Size: Ø80 mm	 OPTIC: 200°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 3W	 CRI: Ra>90
		 Input(V): 48V	 Material: Glass	 Description: Chandeliers
		 Voltage & Current: 48V		


COLORS




White

Roca73 series


ROCA1003NR

		 LightSource: LED	 Size: Ø100 mm	 OPTIC: 200°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 5W	 CRI: Ra>90
		 Input(V): 48V	 Material: Glass	 Description: Chandeliers
		 Voltage & Current: 48V	 White	


ROCA1004NR

		 LightSource: LED	 Size: Ø120 mm	 OPTIC: 200°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 5W	 CRI: Ra>90
		 Input(V): 48V	 Material: Glass	 Description: Chandeliers
		 Voltage & Current: 48V	 White	

ROCA3030RA


		 LED brand: OSRAM	 Size: Ø30 x 300mm	 Beam angle: 24°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 6W	 CRI: Ra>90
		 Input(V): DC48V	 Material: Aluminium	 Description: Chandeliers
		 Voltage & Current: 36V 150mA	 Black	

ROCA4030RA

		 LED brand: OSRAM	 Size: Ø40 x 300mm	 Beam angle: 15°/24°/36°
		 CCT: 2700K/3000K/4000K/5000K	 Power: 6W	 CRI: Ra>90
		 Input(V): DC48V	 Material: Aluminium	 Description: Chandeliers
		 Voltage & Current: 36V 150mA	 Black	

Roca73 series

ROCA0435R



III

High CRI

355°

DALI

Wireless

IP20

130°

0-10V

LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
Ø 35x80mm

Power :
5W

Mat erial:
Aluminium


Beam angle :
15°/24°/36°

CRI :
Ra>90

Description:
Spotlights

Black

ROCA0445R



III

High CRI

355°

DALI

Wireless

IP20

130°

0-10V

LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
Ø 45x100mm

Power :
10W

Mat erial:
Aluminium


Beam angle :
15°/24°/36°

CRI :
Ra>90

Description:
Spotlights

Black

ROCA0460R



III

High CRI

355°

DALI

Wireless

IP20

130°

0-10V

LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
Ø 60x120mm

Power :
18W

Mat erial:
Aluminium

Beam angle :
15°/24°/36°

CRI :
Ra>90

Description:
Spotlights

Black

ROCA-73-STRIP-10W-1M



III

High CRI

IP20

LED brand:
SANAN

CCT:
2700K/3000K/4000K /5 000K

Input(V):
DC48V

Size:
1m/2m/3m

Power :
10W/1M

Mat erial:
PC

Beam angle :
15°/24°/36°



CRI :
Ra>90

Description:
Silicone lamp strip

Whit e

Roca73 series

ROCA0560-A



III

High CRI

DALI

Wireless

IP20

0-10V

LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
Ø 60x57mm

Power :
9W


Mat erial:
Aluminium

Beam angle :
15°/24°/36°

CRI :
Ra>90

Description:
Spotlights
(Round hole fr ont cover)

ROCA0560-B



III

High CRI

DALI

Wireless

IP20

0-10V

LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
Ø 60x57mm

Power :
9W


Mat erial:
Aluminium

Beam angle :
15°/24°/36°

CRI :
Ra>90

Description:
Spotlights
(cur ved sur face fr ont cover)

ROCA0560-C



III

High CRI

DALI

Wireless

IP20

0-10V

LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
Ø 60x57mm

Power :
9W

Mat erial:
Aluminium

Beam angle :
15°/24°/36°

CRI :
Ra>90

Description:
Spotlights
(inclined plane fr ont cover)

COLORS

Black

Whit e

Roca73 series




10mm
internal width

Ultra-narrow and wide inside
narrow for individuality

Roca73 series

ROCA1006DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ76 x 17mm

Power:
6W


Material:
Aluminium

Beam angle:
90°

CRI:
Ra>90

Description:
Magnetic Adjustable
Angle Round Grille Lamp

ROCA1018DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ98x17mm

Power:
10W


Material:
Aluminium

Beam angle:
90°

CRI:
Ra>90

Description:
Magnetic Adjustable
Angle Round Grille Lamp

ROCA1006NR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ76x28mm

Power:
UP2W DN6W


Material:
Aluminium

Beam angle:
90°

CRI:
Ra>90

Description:
Round grille pendant light
(up and down glow)

ROCA1018NR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ98x28mm

Power:
UP2W DN10W

Material:
Aluminium

Beam angle:
90°

CRI:
Ra>90


Description:
Round grille pendant light
(up and down glow)

COLORS


Black

Roca73 series

ROCA1012DR





LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ120x11mm

Power:
7W


Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Magnetic Adjustable
Angle Round Floodlight

ROCA1015DR





LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ150x11mm

Power:
10W


Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Magnetic Adjustable
Angle Round Floodlight

ROCA1015NR





LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ150x11mm

Power:
10W


Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Round floodlight
pendant lamp

ROCA1012NR





LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ120x11mm

Power:
7W

Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90


Description:
Round floodlight
pendant lamp

COLORS


Black

Roca73 series

ROCA1060NR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ60x72mm

Power:
12W


Material:
Aluminium

Beam angle:
/

CRI:
Ra>90

Description:
Wall washer light

ROCA1022-1M ROCA1022-2M ROCA1022-3M





LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ22 x1000/2000/3000mm

Power:
16W/32W/48W


Material:
Aluminium

Beam angle:
360°

CRI:
Ra>90

Description:
Flexible Light Bar

ROCA3306S





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
118x33x30mm

Power:
6W


Material:
Aluminium

Beam angle:
24°/36°

CRI:
Ra>90

Description:
Square Line Grille Lamp

ROCA3312S





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
232x33x30mm

Power:
11W

Material:
Aluminium

Beam angle:
24°/36°

CRI:
Ra>90

Description:
Square Line Grille Lamp


COLORS



Black White

Roca73 series

ROCA3318S





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
345x33x30mm

Power:
16W


Material:
Aluminium

Beam angle:
24°/36°

CRI:
Ra>90

Description:
Square Line Grille Lamp

ROCA3324S





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
460x33x30mm

Power:
22W


Material:
Aluminium

Beam angle:
24°/36°

CRI:
Ra>90

Description:
Square Line Grille Lamp

ROCA3360S





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
1140x33x30mm

Power:
26W


Material:
Aluminium

Beam angle:
24°/36°

CRI:
Ra>90

Description:
Square Line Grille Pendant

ROCA33300S





LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
300x33x30mm

Power:
8W

Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Square Line Floodlight


COLORS



Black White

Roca73 series

ROCA33600S





High CRI

IP20



DALI

0-10V



Wireless

LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
600x33x30mm

Power:
15W


Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Square Line Floodlight

ROCA33900S





High CRI

IP20



DALI

0-10V



Wireless

LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
900x33x30mm

Power:
22W



Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Square Line Floodlight

ROCA331200S





High CRI

IP20



DALI

0-10V



Wireless

LED brand:
SANAN

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
1140x33x30mm

Power:
28W


Material:
Aluminium

Beam angle:
100°

CRI:
Ra>90

Description:
Square Line Flood Pendant

ROCA4606R





High CRI

IP20



DALI

0-10V



Wireless

LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
118x46x35mm

Power:
6W

Material:
Aluminium

Beam angle:
24°/36°

CRI:
Ra>90

Description:
Round Line Grille Lamp

COLORS




Black White

Roca73 series




Roca73 series


ROCA4612R

		 	LED brand: OSRAM	Size: 232x46x35mm	Beam angle: 24°/36°
		 	CCT: 2700K/3000K/4000K	Power: 11W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Grille Lamp


ROCA4618R

		 	LED brand: OSRAM	Size: 345x46x35mm	Beam angle: 24°/36°
		 	CCT: 2700K/3000K/4000K	Power: 16W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Grille Lamp

ROCA4624R

		 	LED brand: OSRAM	Size: 460x46x35mm	Beam angle: 24°/36°
		 	CCT: 2700K/3000K/4000K	Power: 22W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Grille Lamp

ROCA4660R


		 	LED brand: OSRAM	Size: 1140x46x35mm	Beam angle: 24°/36°
		 	CCT: 2700K/3000K/4000K	Power: 26W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Grille Pendant

COLORS


 
Black White

Roca73 series


ROCA46300R

		 	LED brand: SANAN	Size: 300x46x35mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 8W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Floodlight


ROCA46600R

		 	LED brand: SANAN	Size: 600x46x35mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 15W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Floodlight

ROCA46900R

		 	LED brand: SANAN	Size: 900x46x35mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 22W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Floodlight

ROCA461200R


		 	LED brand: SANAN	Size: 1140x46x35mm	Beam angle: 100°
		 	CCT: 2700K/3000K/4000K/5000K	Power: 28W	CRI: Ra>90
			Input(V): DC48V	Material: Aluminium	Description: Round Line Flood Pendant

COLORS


Black

Roca73 series

ROCA1024NS-A





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
275 x 119 x 68mm

Power:
24W


Material:
Aluminium

Beam angle:
60°/90°

CRI:
Ra>90

Description:
Fixed type grille lamp

ROCA1024DS





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
275 x 119 x 87mm

Power:
24W


Material:
Aluminium

Beam angle:
60°/90°

CRI:
Ra>90

Description:
Swing style grille lamp

ROCA1024NS-B





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Size:
506 x 119 x 68mm

Power:
24W


Material:
Aluminium

Beam angle:
60°/90°

CRI:
Ra>90

Description:
Fixed type grille lamp

ROCA4702DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ86mm

Power:
9W


Material:
Aluminium

Beam angle:
12°/24°

CRI:
Ra>90


Description:
Spotlights

COLORS



Roca73 series

ROCA4502DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ45x40mm

Power:
5W


Material:
Aluminium

Beam angle:
15°/24°/36°

CRI:
Ra>90

Description:
Spotlights

ROCA4601DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ60x50mm

Power:
9W


Material:
Aluminium

Beam angle:
15°/24°/36°

CRI:
Ra>90

Description:
Spotlights

ROCA4601DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ50mm

Power:
5W



Material:
Aluminium

Beam angle:
15°/24°/36°

CRI:
Ra>90

Description:
Spotlights

ROCA4701DR





LED brand:
OSRAM

CCT:
2700K/3000K/4000K

Input(V):
DC48V

Size:
Φ62mm

Power:
5W

Material:
Aluminium


Beam angle:
12°/24°

CRI:
Ra>90

Description:
Spotlights


COLORS





Roca73 series

ROCA3006NS





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
48V

Voltage & Current:
48V

Size:
160x30x73

Power:
6W


Material:
Aluminium

OPTIC:
45°

CRI:
Ra>90

Description:
grille light

ROCA3012NS





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
48V

Voltage & Current:
48V

Size:
317x30x73

Power:
12W


Material:
Aluminium

OPTIC:
45°

CRI:
Ra>90

Description:
grille light

ROCA3018NS





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Voltage & Current:
48V

Size:
505x30x73

Power:
18W


Material:
Aluminium

Beam angle:
45°

CRI:
Ra>90

Description:
grille light

ROCA3024NS





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Voltage & Current:
48V

Size:
663x30x73

Power:
24W

Material:
Aluminium

Beam angle:
45°

CRI:
Ra>90


Description:
grille light

COLORS



Roca73 series

ROCA3042NS





LED brand:
OSRAM

CCT:
2700K/3000K/4000K/5000K

Input(V):
DC48V

Voltage & Current:
48V

Size:
1100x30x32

Power:
30W

Material:
Aluminium

Beam angle:
45°

CRI:
Ra>90


Description:
Chandeliers

COLORS




Roca73 series

ROCA7080RA


		     	LED brand: OSRAM CCT: 2700K/3000K/4000K/5000K Input(V): DC48V Voltage & Current: 36V 150mA	Size: Ø80 x 90mm Power: 6W Material: Aluminium luminous flux: 260 lm	Beam angle: 40° CRI: Ra>90 Description: Chandeliers
---	---	---	---	---	--

ROCA9075RA


		     	LED brand: OSRAM CCT: 2700K/3000K/4000K/5000K Input(V): DC48V Voltage & Current: 36V 150mA	Size: Ø75 x 79mm Power: 6W Material: Aluminium luminous flux: 260 lm	Beam angle: 40° CRI: Ra>90 Description: Chandeliers
---	---	---	---	---	--



ROCA3305NS

		    	LED brand: Luminus CCT: 2700K/3000K/4000K/5000K Input(V): DC48V	Size: 154x33x30mm Power: 8W Material: Aluminium	Beam angle: / CRI: Ra>90 Description: Wall washer light
---	---	---	--	--	--

ROCA3310NS

		    	LED brand: Luminus CCT: 2700K/3000K/4000K/5000K Input(V): DC48V	Size: 304x33x30mm Power: 15W Material: Aluminium	Beam angle: / CRI: Ra>90 Description: Wall washer light
---	---	---	--	---	--

COLORS



ROCA-73-PENDANT-3W-BK





Roca73 series

Multiple linking methods

Flexible and versatile for diverse scenarios







Roca73 series

Multiple linking methods

Flexible and versatile for diverse scenarios



